

UK ROCKBREAKERS Ltd

Scotland: 01506 824 652

NW England: 01925 649 962

NE England: 0191 300 3246

ROCKBREAKERS.CO.UK





WHO WE ARE

Rockbreakers UK Ltd specialise in Hire, Sales and Servicing of Hydraulic Breakers, Demolition, Recycling and Forestry Attachments.

Rockbreakers UK is a dedicated attachment company with centres in Scotland and England which enables us to supply to all parts of the UK.

We offer a premium service for hire, sales, servicing and repair for all types of attachments including all makes of hydraulic breakers and demolition attachments along with all other attachments that are used in the construction, mining and quarrying industries.

Rockbreakers UK Ltd is a leading attachment equipment supplier and products that we have for hire or sale include Augers, Combi Cutters, Compactors, Grapples, Small, Medium and Heavy Hydraulic Breakers. Pile Crushers, Pulverisers and Sheet Piling Hammers ranging from 1.5t excavators up to 50t excavators

Both our workshop engineers and our mobile fitting engineers have a comprehensive knowledge in the workings and performance of the whole range of attachments that we supply for Hire or sales.

This enables our customer to achieve maximum efficiency and production for all the attachments in our hire fleet or ones that we available for sale.

We are authorised distributors for Epiroc, Trevi Benne and ACDE Europe and all of their equipment is available in our hire fleet, as we believe these are the leading products available on the market today.





**HYDRAULIC
BREAKERS**

06



**SELECTOR
GRABS**

08



**PIPE
LIFTERS**

36



BLOCK GRAB

37



**NON-
ROTATIONAL
GRABS**

09



**ROTATING
LOG GRAB**

10



**TILTING
BUCKETS**

38



'V' BUCKETS

39



**COMPACTOR
PLATES**

12



**STEEL
SHEARS**

14



RIPPER TEETH

40



LAND RAKES

41



**MULTI
PROCESSORS**

16



**FIXED
PULVERISERS**

18



**RIDDLE
BUCKETS**

42



**CONCRETE
POURING
BUCKETS**

43



**SHEET PILE
DRIVERS**

20



AUGERS

22



FORK BRUSH

44



**TILT GRADING
BEAM**

45



MULCHERS

24



**HYDRAULIC
MAGNETS**

26



LIFTING BEAM

46



**EPIROC
EQUIPMENT
FOR SALE**

48



**OIL QUICK
AND LENHOFF
SADDLES**

28



**PILE
CROPPERS**

30



**TREVIBENNE
EQUIPMENT
FOR SALE**

50



**ACDE
EQUIPMENT
FOR SALE**

52



**ROTARY
SCREENER
BUCKETS**

32



**PALLET
FORKS**

34

HYDRAULIC BREAKERS

It is generally considered that Epiroc changed the face of the construction and mining industry in 1967 when the first breakers hit the market and with over 50 years of innovation Epiroc are still considered the market leaders in breaker manufacture.

This is why Rockbreakers UK not only carry the full range Epiroc breakers in their hire fleet but are also distributors for Epiroc from the SB range for 1.5t to 9t machine encompassing the MB range for 13t to 32t machines and all the way up to the HB range which goes up to 50t machines and above.

- With low noise and vibration
- High productivity in the toughest of environments
- Easy to set up and use
- Low maintenance, superior efficiency and high durability



EPIROC SELECTOR GRABS

These multi-purpose selector grabs can either be used to sort and select demolished materials or recycled products but are robust enough to be used to demolish light buildings.

Epiroc selector grabs offers a low operating weight coupled with high gripping volume giving maximum loading performance and a high gripping force.

- Available for 5t to 30t excavators
- Light weight and short to enable ease of manoeuvre
- Quick and easy to fit to machine
- Long arms for greater closing force



Epiroc

Multi Grapples	MG500	MG1000	MG1500
Carrier Class (tonnes)	5-9	12-20	17-30
Operating Weight (kg)	460	1150	1700
Max Closing Force (kn)	2.4	4.6	6.6
Oil Flow (l/min)	35-50	85-120	120-170
Operating Pressure (bar)	300	350	350
Oil Flow, Rotation (l/min)	35-50	20-25	20-25
Rotational Pressure (bar)	150-170	190-210	190-210
Capacity (l)	200	500	800
Jaw Opening Max (mm)	1500	1950	2100
Grapple Width (mm)	700	800	1000

NON-ROTATIONAL GRABS


Non rotational grabs are best suited to excavators that don't have low flow auxiliary lines, or even excavators that have tilt rotators. They are the same as a conventional selector grab without the rotation function.



Multi Grapples	ACDE ASG-460ND	ACDE ASG-800ND
Carrier Class (tonnes)	4-9	10-16
Operating Weight (kg)	280	600
Max Closing Force (kn)	23	35
Oil Flow (l/min)	40	100
Operating Pressure (bar)	300	350
Capacity (l)	150	400
Jaw Opening Max (mm)	1400	1750
Grapple Width (mm)	600	800

ROTATING LOG GRAB

- 2 Models for excavators with working weight of 8 to 24t
- Low weight
- Short height
- Cylinders are motionless with end damping
- Total 4 hinge pins
- Turning points sealed with Metal seals
- 1 rotation motor and 2 rotation motor versions
- Chromed and hardened pins
- Kinematic design link
- Long hinge arms to cylinder for more pinching power
- Grease nipples easy access not in pins
- Closed slewing ring with grease bed
- Thick slewing ring bottom plate with long bolts



Rotating Log Grab	ASB-1000
Carrier Range	16-24t
Operating Width (mm)	2050
Jaw Width (mm)	910



COMPACTOR PLATES

Hydraulic plate compactors are a safe and efficient way of compacting soil, trenches and embankments.

Creating little noise and safe to use the Epiroc HC range can go on any excavator from 4t to 40t.

These can be quickly fitted to your excavator and are specifically designed to maximise productivity by protecting both the driver and the machine from vibrations.

- Available for excavators from 4t to 40t
- Simple and easy to fit and use
- Practically maintenance free
- Improved force distribution, less wear




Compactor Plates	HC450	HC850	HC1050
Carrier Class (tonnes)	4-9t	9-20t	30-40t
Operating Weight (kg)	430	880	1130
Oil Flow (l/min)	70	114	151
Operating Pressure (bar)	150	150	150
Vibrating Force (t)	3.6t	7.3	10.5
Vibrating Frequency (n/min)	2200	2200	2200
Baseplate Width (mm)	610	710	864
Baseplate Length (mm)	929	1272	1364
Height (mm)	622	764	786
Plate Coverage (m2)	0.4	0.68	0.90

STEEL SHEARS

The CS12RS Steel Shear is ideally suited for the modern demolition industry. It has immense cutting forces whether in use at great heights or cutting on the ground.

This shear is commonly used in demolition and scrap recycling.

- Available for 5 to 30t machines
- Rapid recycle times by use of speed multiplier valve
- Specially designed jaw for cleaner cutting and less jamming
- 360-degree rotation for quicker processing



Steel Shears	CS05RS	CS12RS	CS20RS	CS25RS
Carrier Class (tonnes)	5-8t	12-22t	20-30t	22-30t
Operating Weight (kg)	465	1180	2050	2650
Length (mm)	1725	2300	2660	2950
Jaw Opening (mm)	340	475	535	570
Rotational flow (l/min)	5	10	20-40	10-20
Rotational Pressure (bar)	140	140	140	140
Oil Flow (l/min)	80-150	150/250	180-250	200-300
Oil Pressure (bar)	320	350	350	350



MULTI PROCESSORS

This all-in-one tool is designed specifically for speed and power, and is essential for anyone working in the demolition industry.

The state-of-the-art MK Series is incredibly versatile, which allows the use of 6 jaws that can be safely interchanged in as little as 10 minutes, whilst onsite.

- Available for 18 to 50t excavators
- Quick and easy jaw changes
- Save money by not having to hire multiple attachments
- Ideal for primary and secondary demolition



Multi Processors	MK15	MK20
Carrier weight (tonnes)	18-30	30-50
Operating Weight (kg)	1,900	2,500
Oil Pressure (bar)	350	350
Oil Flow (l/min)	180-250	200/300
Rotation Pressure (bar)	140	140
Rotation Flow (l/min)	10-20	10-20

FIXED PULVERISERS

These incredibly robust, powerful and durable pulverisers are ideal for secondary breaking of concrete onsite. These are designed for demolition, concrete reduction and material sorting.

These are manufactured with increased power using state of the art technology.

- Available for 6t to 40t machines
- Integrated speed valve for increased efficiency and speed of opening/closing
- Quick and easy to preplace teeth on the jaws
- Specifically designed for lifting and crushing concrete slabs



Fixed Pulverisers	F07	F12	F18
Carrier Class (tonnes)	7-10	12-20	20-40
Operating Weight (kg)	680	1250	1990
Jaw Opening mm)	530	700	825
Cutting Force (t)	45	190	290
Operating Pressure (bar)	320	320	350
Oil Flow (l/min)	150	120-200	200-300

SHEET PILE DRIVERS

Dawson Sheet Pile Drivers are market leaders in their field having been specifically designed to drive and extract piles.

These are the perfect solution when large, dedicated piling rigs are unable to get access to the site making them the ideal cost-effective solution for sheet piles of various sizes.

- Available for 7t to 45t excavators
- Simple and fast to set up
- High power to weight ratio
- Suitable for sheet piles, steel beams and girders



Sheet Pile Drivers	EMV220	EMV300	EMV450
Carrier Class (tonnes)	7-18	12-35	25-45
Dynamic Mass (kg)	370	625	1008
Total Mass (kg)	525	965	1008
Centrifugal Force (kn)	220	300	453
Max Hydraulic pressure (bar)	350	350	350
Max Push/Pull Force (kg)	7500	15000	15000
Max Pile Mass (kg)	800	800	1000
Frequency (rpm)	3000	2400	2460
Clamp Force (tonnes)	26.5	36	54

AUGERS

These auger drives with their highly efficient design, have fewer moving parts and increased efficiency, incorporating the high-quality Eaton/Digga Bell motor and the powerful Digga planetary gearbox, ensures maximum torque to dig through all types of ground conditions.

- Available for 1.5t to 20t excavators
- Flights from 100mm to 900mm
- Easy to use and change flights
- Flights can auger all ground conditions including soil, clay and shale



Augers	1200 Max	5000 Max	15000 Max
Carrier weight (tonnes)	1.5-3t	5-9t	12-20t
Operating Weight (kg)	45	89	176
Oil Pressure (Bar)	130- 240	130-240	130-240
Oil Flow (l/min)	60-115	60-115	60-115
Torque (NM)	2,851	5,398	13,987
Drilling Diameter (mm)	100-300	150-900	150-900

MULCHERS

Indeco's IMH series of hydraulically driven, boom-mounted mulching heads are specifically designed for a broad range of land clearing, site preparation, invasive vegetation species management, storm damage removal and clean-up applications.



Mulchers	IMH08	IMH10	IMH14
Weight (kg)	580	735	1050
Cutting Width (mm)	765	915	1120
Oil Flow (l/min)	90-120	90-120	110-150
Working Pressure (Bar)	345	345	345
Number of Teeth	16	20	22
Carrier Weight	8-13t	9-18t	14-22t



DYNASET HYDRAULIC MAGNETS

This attachment converts the power of the hydraulics on the machine into a powerful magnet, which is mobile and perfect either for working in a scrap recycling yard or working on a construction site

The magnet is strong enough to pick large pieces of metal and move them around or can be used for Sweeping over construction sites, picking up rebar and scrap metal.

- Available for 13t to 20t machines
- Increase productivity with the world's fastest demagnetising time
- Fast and easy to connect
- Easy to move from one machine to another



Dynaset Magnets	HMAG 90
Carrier Class (tonnes)	13-20t
Operating weight (kg)	900
Diameter (mm)	960
Operating Pressure (bar)	350
Operating Flow (l/min)	40-80



OIL QUICK AND LENHOFF SADDLES

Rockbreakers have an extensive fleet of brackets for all types of attachments. Moving with the times Rockbreakers UK have invested in various different automatic quick coupler systems, such as OilQuick & Lehnhoff, both of which can be partnered with our industry leading attachments.



PILE CROPPERS



We have a wide variety of pile croppers that can be used on pre-cast square piles from 200mm to 300mm and or for round piles, from 300mm up to a massive 1000mm.

Our cropper range includes the CFA, Quad, Contig, Dual Cropper, Power Cropper, Multibar and Precast.

So whatever your pile cropping needs, we have the cropper that will be suitable for you.

- Available for 8t to 30t machines
- A cropper available for every eventuality
- Easy to use
- Easy to swap from one machine to another



ROTARY SCREENER BUCKETS

This is ideal for the removal of rubble, roots and various other kinds of debris from topsoil onsite.

Incredibly versatile in the removal of all types of debris or aggregate that require separation.

When used before crushing phase it can reduce the crushing time by as much as 60%.

- Available for 14t to 20t machines
- Interchangeable screens
- Choice of screen size 20mm or 70mm gap sizes
- Two way rotational drum
- Made from Hardox steel for extra durability





Rotary Screening Bucket	BVR Series
Carrier Class (tonnes)	12-20t
Operating Weight (kg)	1200
Oil Pressure (bar)	200-220
Oil Flow (l/min)	40-80
RPM	18-35



PALLET FORKS

Pallet Forks are an inexpensive way of giving your excavator material handling capabilities without having the additional cost of a telehandler. This along with the excavator's capabilities of 360-degree rotation allows you to quickly manoeuvre palletised materials.

- Available for excavators 5t and above
- Adjustable pallet tines to fit various dimensions
- Versatile and cost effective



PIPE LIFTERS

The pipe lifter is designed for safely lifting and manoeuvring and the safe handling of pipes on site.

It can be used for both unloading pipes from wagons or for laying pipes in trenches.

It avoids having ground workers in the trenches or having to use slinging techniques

- Available for 12 to 22t excavators
- Rubber stops on back plates to prevent the pipes from breaking when sliding back
- Easy to fit to excavator quick hitch



BLOCK GRAB

The Conquip Grab is a mechanical grab for materials lifting blocks and bricks, commonly with an excavator but sometimes with a crane. It is also suitable for handling all types of concrete products, such as concrete slabs, kerb stones and paving blocks. Top arms and load levelling arms increase durability, and safety while the automatic catch mechanism enables a single operator to stack or unstack loads. The block grab has a SWL of 1800KG



TILTING BUCKETS

These buckets are ideal for all forms of landscaping work, with a 45-degree tilt angle, you will not need to re-position the excavator to target the awkward spots increasing productivity.

- Available for 5t to 30t excavators
- Quickly tilt 45-degrees left and right
- Ideal for clearing, ditching, trenching and level grading




"V" BUCKETS

These buckets are an essential tool for digging a stable ditch that requires a tapered side.

Specifically designed for optimum digging ability.

- Available for 5t to 20t excavators
- Ideal for digging trenches and drainage ditches
- Variety of sizes available



RIPPER TEETH

Our heavy-duty ripper teeth are ideal for removing all kinds of stubborn materials and objects from site.

- Available for 5t to 30t excavators
- Can be used in demolition, construction, quarrying and landscaping
- Piercing teeth are replaceable to extend life of the tooth



LAND RAKES

These are a very effective solution for clearing vegetation and debris from construction sites, removal of the plant and rocks whilst leaving behind soft soil. They can also be used for the removal of weeds and aquatic vegetation in ponds and waterways.

- Available for excavators from 5t to 20t
- Light weight but robust
- Can be used in all forms of landscaping and agriculture
- Easily interchangeable on the quick hitch
- Breaks up hard compacted ground



RIDDLE BUCKETS

Riddle buckets are also known as shaker buckets, these are an essential attachment in the sorting process of almost all site materials. These allow bricks, concrete and other site contaminants to be separated from topsoil.

- Available for 5t to 30t machines
- Suitable for heavy duty work
- Can be used in all types of demolition, landscaping and quarrying
- A must when separating top soil from construction debris



CONCRETE POURING BUCKET

The Conquip Concrete Pouring Bucket is an essential excavator attachment designed specifically for the efficient transportation and controlled pouring of concrete and other bulk materials. This bucket is ideal for use in locations that are challenging or inaccessible for traditional concrete delivery trucks, such as confined urban construction sites, areas with limited manoeuvrability or remote job sites where direct access is restricted.

Available for 13 to 20T Machines.



FORK BRUSH

The fork brush attachment is a practical and effective solution that can be easily fitted to any forklift truck or telescopic handler transforming it into a powerful tool for site maintenance and cleaning. Designed for efficiency, this attachment is ideal for keeping construction sites, farms, commercial yards, and industrial areas clear of debris, mud, dirt and other waste materials that accumulate over time.



TILT GRADING BEAM

The tilt grading beam is an adaptable and precise attachment designed to enhance the functionality of any excavator. Featuring a unique tilting function, this beam allows for precise angle adjustments, enabling operators to achieve the perfect finish on uneven or sloped terrain. Additionally, it is equipped with a built-in roller that aids in smoothing and levelling various types of surfaces, making it ideal for working with aggregates, soil, sand and gravel commonly found on construction and landscaping sites.

The tilt grading beam is compatible with excavators ranging from 13 to 20 tons.



LIFTING BEAM

The 3-stage telescopic extension jib is a highly adaptable attachment designed to enhance the reach and versatility of your excavator. Its telescopic design allows the jib to extend and retract as needed, offering exceptional flexibility for various lifting and positioning tasks. This attachment is particularly beneficial in situations where extended reach is essential, such as lifting, placing, or moving materials that would otherwise be out of the machine's standard range.

EQUIPMENT FOR SALE

Rockbreakers UK are the longest standing distributor of Epiroc in the UK with over 19 years of knowledge and expertise in the complete Epiroc product line. There is no better company to be your attachment partner, from initial inquiry to commissioning to your machine, Rockbreakers UK's wealth of experience will help guide you all the way.

With the recent additions of the market leading Trevi Benne and ACDE Europe ranges, two of Europe's premier demolition brands. We have a portfolio of products to offer our customers a complete range to cover all their needs for all sectors from construction, demolition, quarrying, mining, and forestry.

Our expansive product range of market leading attachments has a product to meet with all your requirements.





Epiroc mining and construction products and equipment

We offer the full range of surface and underground mining equipment that sets the standard in an increasingly competitive industry.

The products portfolio offers solutions for all your requirements with rock drilling, cutting, loading and hauling, ventilation and materials handling equipment, complimented with round the clock service, rock drilling tools and technical expertise.

Staff at Rockbreakers UK are fully trained in the implementation and application of the full range of rock excavation equipment.



MEDIUM & HEAVY HYDRAULIC BREAKERS



SILENT DEMOLITION TOOLS



BUCKET CRUSHERS



DRUM CUTTERS



SMALL HYDRAULIC BREAKERS



HYDRAULIC COMPACTORS



HYDRO MAGNETS



Demolition Equipment

Equipment designed for the demolition of structures and buildings, separation of ferrous material and concrete, removal and remediation for redevelopment of the area.

The products portfolio offers solutions for all your requirements with pulverisers, crushers, demolition and sorting grapples, booster, multi kit, pile crushers and technical expertise.




MULTI KIT PROCESSORS



PRIMARY CRUSHERS




HC PREMIUM CRUSHERS




DEMOLITION SORTING GRABS



PULVERISERS F PREMIUM



PULVERISERS FR PREMIUM



MULTI ATTACHEMENT PULVERISER



MULTI KIT MK PREMIUM



ROTATING PULVERISERS



ACDE Demolition Equipment

ACDE Europe has been active in the European demolition attachment world since 1994.

Today the company specialises in hydraulic hammers, grapples and demolition and recycling attachments for all kinds of demolition and recycling applications.

From 75 to 8000 kg with integrated and/or internal hose connected quick hitch adaptors of all manufacturers and customised grapples are our speciality.

In the middle of 2020 BEILITE Europe was formed to distribute the range of 75 to 8000 kg Hydraulic hammers from it logistic centre in the Netherlands through Europe.

Staff at Rockbreakers (UK) Ltd are fully trained in the implementation and application of the full range of demolition equipment.



HYDRAULIC CONCRETE CRUSHER



PRIMARY DEMOLITION CRUSHER



HYDRAULIC BREAKERS




HYDRAULIC SCRAP SHEAR



FIXED HYDRAULIC PULVERIZER



LOG GRAPPLE




STONE GRAPPLE



ORANGE PEEL GRAPPLE



SORTING DEMOLITION GRAPPLE




MULTI-GRAPPLES



Scotland

Rockbreakers UK Ltd
13 Crawfield Lane,
Bomains Industrial Estate,
Bo'ness
EH51 0QG


Tel: 01506 824 652
Fax: 01506 826 110
Email: hire@rockbreakers.co.uk



NW England

Rockbreakers UK Ltd
Unit 21
Rufford Court
Hardwick Grange
Warrington
WA1 4RF

Tel: 01925 649 962
Mobile: 07741 910 071
E-mail: andy@rockbreakers.co.uk



NE England

Rockbreakers UK Ltd
Unit 28
Mandale Park
Wallsend Road
North Shields
NE29 7FN

Tel: 0191 300 3246
Mobile: 07389 788 611
E-mail: ken@rockbreakers.co.uk





Scotland

Rockbreakers UK Ltd
13 Crawfield Lane,
Bomains Industrial Estate,
Bo'ness
EH51 0QG

Tel: 01506 824 652
Fax: 01506 826 110
Email: hire@rockbreakers.co.uk

NW England

Rockbreakers UK Ltd
Unit 21
Rufford Court
Hardwick Grange
Warrington
WA1 4RF

Tel: 01925 649 962
Mobile: 07872 012 658
E-mail: hirenw@rockbreakers.co.uk

NE England

Rockbreakers UK Ltd
Unit 28
Mandale Park
Wallsend Road
North Shields
NE29 7FN

Tel: 0191 300 3246
Mobile: 07389 788 611
E-mail: ken@rockbreakers.co.uk

ROCKBREAKERS.CO.UK